UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/717,412	11/18/2003	Michael H. McLernon	MWS-033RCE2	7251	
	74321 7590 12/08/2009 LAHIVE & COCKFIELD, LLP/THE MATHWORKS			EXAMINER	
FLOOR 30, SUITE 3000 One Post Office Square Boston, MA 02109-2127		SALOMON, PHENUEL S			
			ART UNIT	PAPER NUMBER	
			2179		
			MAIL DATE	DELIVERY MODE	
			12/08/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

The MAILING DATE of this communication ap Period for Reply A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D		MCLERNON ET AL. Art Unit 2179 correspondence address
The MAILING DATE of this communication ap Period for Reply A SHORTENED STATUTORY PERIOD FOR REPL	PHENUEL S. SALOMON pears on the cover sheet with the o	2179
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPL	pears on the cover sheet with the o	
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPL		correspondence address
 Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b). 	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tirt will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>09 S</u> This action is FINAL . 2b)⊠ This action is application is in condition for allowed closed in accordance with the practice under	s action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4)	awn from consideration. /are rejected.	
Application Papers		
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examin	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureat * See the attached detailed Office action for a list 	nts have been received. Its have been received in Applicat Pority documents have been receive Tau (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

Art Unit: 2179

DETAILED ACTION

1. This action is in response to the request for continued examination filed on September 09, 2009. Claims 1, 24, 26, 34, 36-40, 42 and 47 have been amended; claims 2, 5, 18, 19, 27, 28, 30-33 and 35 had been previously canceled, and claims 1, 3, 4, 6-17, 20-26, 29, 34, 36-48 are pending.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1, 3-4, 9-13, 23-24, 26, 29, 36-39, and 42-44 are rejected under 35 U.S.C. 102(e) as being unpatentable over <u>Fritzpatrick</u> et al. (US 6,877,138 B2) in view of <u>Huang</u> (US 6,980,979 B2).

Claim 1: <u>Fritzpatrick</u> discloses a computer-readable medium holding computer executable instructions, the medium comprising:

instructions for selecting at least one characteristic in a block diagram (col. 2, lines 19-29);

instructions for receiving a designation at least one destination block in said block diagram; and (col. 1, lines 42-49); and

instructions for propagating said selected at least one characteristic to said destination block (col. 2, lines 1-14).

Fritzpatrick does not explicitly disclose characteristic common to a plurality of source of source blocks in a block diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, Huang discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in Fritzpatrick. One would have been motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10).

Claim 3: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, <u>Fritzpatrick</u> further discloses comprising: instructions for creating a data structure for the selected at least one characteristic in said data structure having a plurality of substructures (col. 4, lines 23-26).

Claim 4: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above <u>Fritzpatrick</u> further discloses said selecting at least one characteristic involves the use of a category list, said at least one characteristic associated with at least one category of said category list (col. 4, lines 4-9).

Claim 9: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above <u>Fritzpatrick</u> further discloses propagating said selected at least one characteristic involves propagating less than all of the source block (col. 2, lines 19-29).

Claim 10: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above <u>Fritzpatrick</u> further discloses propagating involves propagating less than all characteristics of the source block, as specified by a user (col. 2, lines 19-29).

Claim 11: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above <u>Fritzpatrick</u> further discloses selecting involves selecting said at least one characteristic to be propagated from a Graphical User Interface (col. 2, lines 19-27).

Claim 12: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above <u>Fritzpatrick</u> further discloses said selecting involves selecting said at least one characteristics to be propagated by the use of a short key (col. 4, lines 13-21).

Claim 13: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above <u>Fritzpatrick</u> further discloses propagating involves propagating less than all characteristics of the source block, as automatically determined based on characteristics of said source block and characteristics of said destination block (abstract, lines 3-15).

Claim 23: <u>Fritzpatrick</u> and <u>Huang</u> disclose a medium as in claim 1 above <u>Fritzpatrick</u> further discloses said destination block does not have said characteristic prior to said propagating (col. 2, lines 34-47).

Claim 24: Fritzpatrick discloses a system comprising:

A memory (ram) configured to hold a block diagram having a plurality of blocks (col. 4, lines 10-20); and

a processor configured to:

select at least one characteristic in a block diagram (col. 2, lines 19-29);

receive a designation of a destination block in said plurality of blocks diagram(col. 1,

lines 54-57);

propagate said selected at least one characteristic to said destination block (col. 2, lines 1-14).

Fritzpatrick does not explicitly disclose characteristic common to a plurality of blocks in a block diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, Huang discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in Fritzpatrick. One would have been motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10)..

Claim 26: Fritzpatrick discloses an apparatus comprising:

a processor configured to receive a selection of least one characteristic in a block diagram (col. 2, lines 19-29);

means for receiving a designation of at least one destination block in said block diagram; and (col. 1, lines 42-49); and

means for propagating said characteristic to said destination block (col. 2, lines 1-14);

<u>Fritzpatrick</u> does not explicitly disclose characteristic common to a plurality of source blocks in a block diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, <u>Huang</u> discloses extracted class files are capable of being used together to

provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in <u>Fritzpatrick</u>. One would have been motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10).

Claim 29: <u>Fritzpatrick</u> and <u>Huang</u> disclose the apparatus as in claim 26 above <u>Fritzpatrick</u> further discloses said selecting involves selecting said at least one characteristic to be propagated from a Graphical User Interface (col. 2, lines 19-27).

Claim 36: <u>Fritzpatrick</u> discloses a computer-readable medium holding computer executable instructions, the medium comprising:

instructions for selecting at least one characteristic in a circuit diagram (col. 2, lines 19-29); instructions for receiving a designation at least one destination component in said circuit diagram; and (col. 1, lines 42-49);

instructions for propagating said selected at least one characteristic to said destination component (col. 2, lines 1-14).

<u>Fritzpatrick</u> does not explicitly disclose characteristic common to a plurality of source components in a circuit diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block

parameter. However, <u>Huang</u> discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in <u>Fritzpatrick</u>. One would have been motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10).

Claim 37: <u>Fritzpatrick</u> discloses a computer-readable medium holding computer executable instructions, the medium comprising:

instructions for selecting at least one characteristic in a mechanical diagram (col. 2, lines 19-29);

instructions for receiving a designation of at least one destination component in said mechanical diagram; and (col. 1, lines 42-49); and

instructions for propagating said selected at least one characteristic to said destination block (col. 2, lines 1-14).

<u>Fritzpatrick</u> does not explicitly disclose characteristic common to a plurality of source components in a mechanical diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, <u>Huang</u> discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing

interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in <u>Fritzpatrick</u>. One would have been motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10).

Claim 38: <u>Fritzpatrick</u> discloses a computer-readable medium holding computer executable instructions, the medium comprising:

instructions for selecting at least one characteristic in a biological diagram (col. 2, lines 19-29);

instructions for receiving a designation at least one destination graphical element in said biological diagram; and (col. 1, lines 42-49); and

instructions for propagating said characteristic to said selected at least one destination graphical element (col. 2, lines 1-14).

<u>Fritzpatrick</u> does not explicitly disclose characteristic common to a plurality of source graphical elements in a biological diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, <u>Huang</u> discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these

files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in <u>Fritzpatrick</u>. One would have been motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10).

Claim 39: <u>Fritzpatrick</u> discloses a computer-readable medium holding computer executable instructions, the medium comprising:

instructions for selecting at least one characteristic in a network diagram (col. 2, lines 19-29); instructions for receiving a designation of at least one destination graphical element in said network diagram; and (col. 1, lines 42-49); and

instructions for propagating said selected at least one characteristic to said at least one destination graphical element (col. 2, lines 1-14).

<u>Fritzpatrick</u> does not explicitly disclose characteristic common to a plurality of source graphical elements in a network diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, <u>Huang</u> discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in <u>Fritzpatrick</u>. One would have been

Art Unit: 2179

motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10).

Claim 42: Fritzpatrick discloses a computer-implemented method comprising:

selecting at least one characteristic in a block diagram (col. 2, lines 19-29);

receiving a designation at least one destination block in a block diagram (col. 1, lines 42-49); and

propagating said selected at least one characteristic to the least one destination block (col. 2, lines 1-14)

Fritzpatrick does not explicitly disclose characteristic common to a plurality of source blocks in a block diagram, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, Huang discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in Fritzpatrick. One would have been motivated to do so in order to allow a user to select the functionality needed from a file or group of files to implement a particular application/block (col. 4, lines 8-10).

Claim 43: <u>Fritzpatrick</u> and <u>Huang</u> disclose the method as in claim 42 above, <u>Fritzpatrick</u> further discloses comprising determining said at least one destination block in a same block type as at least one source block in said plurality of source blocks (col. 2, lines 1-14); (Examiner note: source and destination blocks should be the same block type in order to share the same characteristic).

Claim 44: <u>Fritzpatrick</u> and <u>Huang</u> disclose the method as in claim 42 above, <u>Fritzpatrick</u> further discloses said at least one destination block is designated based on said selected at least one characteristic, said selected at least one characteristic matching a characteristic of said at least one destination block (col.2, lines 19-27).

4. Claims 8 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u> (US 6,877,138 B2) in view of <u>Huang</u> (US 6,980,979 B2) and in further view of Budinsky et al. (US 6,407,753).

Claim 8: Fritzpatrick and Huang disclose a medium as in claim 1 above, but do not explicitly disclose the step of undoing said propagating step by returning characteristics of said destination block to a condition existing prior to said propagating step. However, Budinsky discloses a multi-level undo/redo and direct rules manipulation (col. 3, lines 28-41). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include undoing propagating characteristics in Fritzpatrick. One would have been motivated to do so in order to efficiently reinstate the affected block to its original state.

Art Unit: 2179

Claim 34: <u>Fritzpatrick</u> discloses a computer-readable medium holding electronic device computer-executable of instructions, the medium comprising:

instructions for selecting at least one characteristic in a diagram (col. 2, lines 19-29); instructions for propagating said selected at least one characteristic to said destination graphical object (col. 2, lines 1-14);

instructions for receiving a designation of at least one destination graphical object (col. 1, lines 42-49).

Fritzpatrick does not explicitly disclose characteristic common to a plurality of source graphical objects in a Unified Modeling Language, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, Huang discloses extracted class files are capable of being used together to provide a plurality of functional behaviors to an application. In addition, a link file listing interdependencies of the class files of the plurality of class files is generated (col. 2, lines 60-63) [the interdependencies imply that there are some common characteristics among these files]. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include common characteristics in Fritzpatrick. One would have been motivated to do so in order to customize a model environment based on the functionality needed by a particular program.

Fritzpatrick and Huang do not disclose in a Unified Modeling Language (UML).

However, <u>Budinsky</u> discloses the use of Unified Modeling Language (col. 2, lines 30-36).

Therefore it would have been obvious to one having ordinary skill in the art at the time of the

invention to use Unified Modeling Language in <u>Fritzpatrick</u>. One would have been motivated to do so in order to specify a concrete graphical notation for abstract models of various system views

5. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u> (US 6,877,138 B2) in view of The MathWorks (using Simulink, Version 5) hereinafter <u>Simulink</u> and in further view of <u>Budinsky</u> et al. (US 6,407,753).

Claim 25: <u>Fritzpatrick</u> discloses a computer-readable medium holding computer executable instructions, the medium comprising:

instructions for receiving a designation of a source block in a block diagram; and (col. 1, lines 54-57);

instructions for selecting at least one characteristic of a source block in a block diagram (col. 2, lines 19-29);

instructions for propagating said selected at least one characteristic to said destination block (col. 2, lines 1-14),

<u>Fritzpatrick</u> does not explicitly disclose said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, <u>Simulink</u> discloses each simulink block type is associated with set of system functions that specify time-dependent relationships among its inputs, states, and outputs (page 2-4, section "System Functions" p. 2-5, section "Block Parameters" and p. 2-9, item 2). Therefore, it would have been obvious to one having ordinary skill in the art at the time

the invention was made to include characteristics in <u>Fritzpatrick</u>. One would have been motivated to do so in order to offer setting attributes option to users while operating the system.

Fritzpatrick and Simulink do not explicitly disclose

instructions for receiving a designation of a plurality of destination blocks in a block diagram.

However, Budinsky discloses:

instructions for receiving a designation of a plurality of destination blocks in a block diagram; and (fig. 1). Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to use the above steps in Fritzpatrick. One would have been motivated to do so in order to quickly deploy the pertinent characteristic among blocks.

6. Claims 7 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u>. (US 6,877,138 B2) in view of <u>Huang</u> et al. (US 6,980,979 B2) and in further view of <u>Iriuchijima</u> (US 6,070,006).

Claim 7: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, but do not explicitly disclose said destination block is a subsystem block representing a plurality of lower-level blocks and said propagating is restricted to propagating to said subsystem block without propagating to said plurality of lower-level blocks. However, <u>Iriuchijima</u> discloses non-inheritance attributes from parent to child class (col. 2, lines 36-42). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include propagation

restriction in <u>Fritzpatrick</u>. One would have been motivated to do so in order to prevent propagation of attributes to block of different nature.

Claim 21: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, but do not explicitly disclose said source block are a predetermined member of a plurality of said destination blocks. However, <u>Iriuchijima</u> discloses inheritance attributes from parent to child class (col. 1, lines 36-54). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include predetermined member in <u>Fritzpatrick</u>. One would have been motivated to do so in order to quickly deploy attributes to blocks of the same nature.

7. Claims 6, 16-17, 20 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u>. (US 6,877,138 B2) in view of <u>Huang</u> et al. (US 6,980,979 B2) and in further view of <u>Dhond</u> (US 6,195,092).

Claim 6: Fritzpatrick and Huang disclose the medium as in claim 1 above, wherein said destination block is a subsystem representing a plurality of blocks (col. 1, lines 58-61), but do not explicitly disclose said at least one characteristic is propagated to each of said plurality of blocks. However, Dhond discloses one or more graphical objects where attributes are being propagated (col. 6, lines 15-21). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include characteristic propagation in Fritzpatrick. One would have been motivated to do so in order to simultaneously edit or update multiple blocks attribute in one display.

Claim 16: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, but do not explicitly disclose comprising instructions for determining which blocks of said block diagram have characteristics corresponding to the selected at least one characteristic in said selecting.

However, <u>Dhond</u> discloses the selection of the attributes of the first graphical objects (col. 6, lines 1-14). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include the step of determining which blocks corresponding to the at least one characteristic in <u>Fritzpatrick</u>. One would have been motivated to do so in order to accurately identify the associated blocks and thus assuring efficient attribute propagation.

Claim 17: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, but do not explicitly disclose comprising instructions for determining which blocks of said block diagram have characteristics that could be propagated to said destination block. However, <u>Dhond</u> discloses the selection of the attributes of the first graphical objects (col. 6, lines 15-21). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include the step of determining which blocks corresponding to the at least one characteristic in <u>Fritzpatrick</u>. One would have been motivated to do so in order to accurately identify the associated blocks and thus assuring efficient attribute propagation.

Claim 20: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, but do not explicitly disclose said selecting at least one characteristic is performed before said designating at least one destination block. However, Dhond discloses the selection of the attributes of the first graphical

objects (col. 6, lines 15-21). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include the step of selecting characteristic in Fritzpatrick. One would have been motivated to do so in order to efficiently identify the associated source and destination objects.

Claim 22: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, but do not explicitly disclose designation of at least one destination block is performed from a text-based list.

However, <u>Dhond</u> discloses display of graphical objects within a spreadsheet-like graphical user interface (col. 6, lines 1-6). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include a text-based list of blocks in <u>Fritzpatrick</u>.

One would have been motivated to do so in order to better facilitate the selection of block from a wide variety of choices.

8. Claims 14-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u>. (US 6,877,138 B2) in view of <u>Huang</u> et al. (US 6,980,979 B2) and in further view of <u>Shudo</u> et al (US 6,300,949 B1).

Claim 14: <u>Fritzpatrick</u> and <u>Huang</u> disclose the medium as in claim 1 above, but does not explicitly disclose comprising instructions storing information relating to propagating to enable repeating said propagating. However, <u>Shudo</u> discloses stored attribute information for further propagating (col. 2, lines 1-30). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include storing information relating to

propagating step in <u>Fritzpatrick</u>. One would have been motivated to do so in order to facilitate a faster propagation of the same attribute on a larger scale.

Page 19

Claim 15: Fritzpatrick and Huang disclose the medium as in claim 14 above, but does not explicitly disclose said storing comprises storing information relating to multiple iterations of said propagating. However, Shudo discloses stored attribute information for further propagating (col. 2, lines 18-30). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include multiple iterations of propagating step in Fritzpatrick. One would have been motivated to do so in order to easily deploy the same attribute on a larger scale.

9. Claims 40-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u>. (US 6,877,138 B2) in view of The MathWorks (using Simulink, Version 5) hereinafter <u>Simulink</u> and in further view of <u>Zink</u> et al (US 6,738,964 B1).

Claim 40: <u>Fritzpatrick</u> discloses a computer-readable medium holding computer executable instructions, the medium comprising:

instructions for selecting at least one characteristic associated with a first block and a second block of a block diagram (col. 2, lines 19-29);

instructions for receiving a designation at least one destination line associated with a third block and a fourth block of said block diagram; and (col. 1, lines 42-49); and

instructions for propagating said selected at least one characteristic to said destination line (col. 2, lines 1-14).

Fritzpatrick does not explicitly disclose said source line representing at least one signal, said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, Simulink discloses a block's output is a function of time and the block's inputs and states (p. 2-3, section "Block) [the block contains line with function of time], each simulink block type is associated with set of system functions that specify time-dependent relationships among its inputs, states, and outputs (page 2-4, section "System Functions" p. 2-5, section "Block Parameters" and p. 2-9, item 2). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include characteristics in Fritzpatrick. One would have been motivated to do so in order to offer setting attributes option to users while operating the system. Fritzpatrick and Simulink do not explicitly disclose a source line.

However, Zink discloses at least one source line associated with a first block and a second block of said block diagram (fig. 9). Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to include Zink's plurality of source lines in Fritzpatrick. One would have been motivated to do so in order to quickly deploy pertinent characteristics among blocks.

Claim 41: <u>Fritzpatrick</u>, <u>Simulink</u> and <u>Zink</u> disclose the medium as in claim 40 above, <u>Zink</u> further discloses said second block and said third block are the same block (fig. 9) [usage of the same block is inherent since they have the same characteristics]. Therefore it would have been

obvious to one having ordinary skill in the art at the time of the invention to use the same two blocks in <u>Fritzpatrick</u>. One would have been motivated to do so in order to provide a better system data filtering capability.

10. Claim 45 is rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u>. (US 6,877,138 B2) in view of Huang (US 6,980,979 B2) and in further view of Santori (US 2003/0132964 A1).

Claim 45: <u>Fritzpatrick</u> and <u>Huang</u> disclose the method as in claim 44 above, but do not explicitly disclose said at least one characteristic indicates that said at least one destination block is representative of a virtual subsystem. However, <u>Santori</u> discloses creating virtual instrumentation system (page 1, para [0009]). Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to include virtual subsystem in <u>Fritzpatrick</u>. One would have been motivated to do so in order to clearly identify characteristics propagation within block diagram environment.

11. Claim 46 is rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u>. (US 6,877,138 B2) in view of Huang (US 6,980,979 B2) and in further view of <u>Singh</u> (US 2003/0132964 A1).

Claim 46: <u>Fritzpatrick</u>, <u>Huang</u> disclose the method as in claim 42 above, but do not explicitly disclose said at least one destination block is a subsystem representing a plurality of blocks and

said selected at least one characteristic is propagated to each of said plurality of blocks in said subsystem. However, <u>Singh</u> discloses blocks can be interconnected to form a subsystem (page 1, para [0003]). Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to include subsystem in <u>Fritzpatrick</u>. One would have been motivated to do so in order to facilitate the distribution of characteristics among blocks in the subsystem.

12. Claims 47-48 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Fritzpatrick</u> et al. (US 6,877,138 B2) in view of The MathWorks (using Simulink, Version 5) hereinafter <u>Simulink</u> and in further view of <u>Miloushev</u> et al. (US 2002/0069400 A1).

Claim 47: <u>Fritzpatrick</u> discloses a medium holding computer-executable instructions, the medium comprising:

instructions for selecting at least one characteristic of a first source block and a second source block in a block diagram(col. 2, lines 19-29);

instructions for receiving a designation of a first destination block and a second destination block in said block diagram (col. 1, lines 42-49); and

<u>Fritzpatrick</u> does not explicitly disclose said first value propagated to said first destination block and said second value propagated to said second destination block;

said selected at least one characteristic being at least one of a functional attribute, a compiled attribute, an execution data field, a block method or a block parameter. However, Simulink discloses each simulink block type is associated with set of system functions that specify time-dependent relationships among its inputs, states, and outputs (page 2-4, section

"System Functions" p. 2-5, section "Block Parameters" and p. 2-9, item 2). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include characteristics in <u>Fritzpatrick</u>. One would have been motivated to do so in order to offer setting attributes option to users while operating the system.

<u>Fritzpatrick</u> and <u>Simulink</u> do not explicitly disclose said first source block having said characteristic of a first value, said second source block having said selected at least one characteristic of a second value;

However, Miloushev discloses:

said first source block having said characteristic of a first value, said second source block having said selected at least one characteristic of a second value (page 8, para [0142] and [0147])

said first value propagated to said first destination block and said second value propagated to said second destination block (page 8, para [0138]). Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to include these features in Fritzpatrick. One would have been motivated to do so in order to quickly deploy pertinent characteristics among blocks.

Claim 48: Fritzpatrick, Simulink and Miloushev disclose the medium as in claim 47 above, Miloushev further discloses said propagating step determines said first destination block and said second destination block by the use of respective contexts relative to said first source block and said second source block (page 8, para [0138]). One would have been motivated to do so in order to quickly deploy pertinent characteristics among blocks

Art Unit: 2179

Response to Arguments

13. Applicant's arguments filed on 09/09/2009 have been fully considered but are not persuasive.

Applicant's arguments with respect to claims 1, 3, 4, 9-13, 23-24, 26, 29, 36-39 and 42-44 are most in view of new ground(s) of rejection.

Applicant's arguments with respect to claims 8 and 34 are moot in view of new ground(s) of rejection.

As per claim 25, applicant argues that Budinsky fails to disclose receiving a designation of a plurality of destination blocks in a block diagram.

In response, examiner respectfully disagrees and notes that <u>Budinsky</u> discloses instructions for receiving a designation of a plurality of destination blocks in a block diagram in fig. 1 where input originated from one block delivers output to a plurality of blocks.

Applicant's arguments with respect to claims 6, 7, 14-17 and 20-22 are moot in view of new ground(s) of rejection.

As per claims 40 and 41, applicant argues that Fitzpatrick, Simulink and Zink fail to disclose selecting at least one characteristic of a source line associated with a first block and a second block of a block diagram, said source line representing at least one signal.

In response, examiner respectfully disagrees and notes that <u>Simulink</u> discloses a block's output is a function of time and the block's inputs and states(p. 2-3, section "Block) [the block contains line with function of time]. The specific function that relates a block's output to its inputs, states and time depends on the type of block which the block is an instance.

Applicant's arguments with respect to claims 45 and 46 are moot in view of new ground(s) of rejection.

As per claims 47 and 48, applicant argues that Fitzpatrick, Simulink and Miloushev do not disclose selecting at least one characteristic of a first source block and a second source block in a block diagram.

In response, examiner respectfully disagrees and notes that Fitzpatrick discloses selecting at least one characteristic of a first source block and a second source block in a block diagram (col. 1, lines 42-49).

Art Unit: 2179

Conclusion

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

a. <u>Newman</u> et al. (US 5,313,615) discloses block diagram simulator using a library for generation of a computer.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phenuel S. Salomon whose telephone number is (571) 270-1699. The examiner can normally be reached on Mon-Fri 7:00 A.M. to 4:00 P.M. (Alternate Friday Off) EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on (571) 272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-3800.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 2179

PSS 12/04/2009

/Ba Huynh/

Primary Examiner, Art Unit 2179